

INDEX TO VOLUME 19

A

- Abrams, T., 491-497
- Acquired immunodeficiency syndrome (AIDS)
- associated with intravenous drug use in U. S., 399-408
 - behaviors at risk for, LIGHT model in intervention of in urban drug users, 309-325
 - See also* Human immunodeficiency virus (HIV)
- Adolescents
- alcohol abusing, patterns of polydrug use in, 511-521
 - effect of skills and intentions to use drugs on posttreatment drug use of, 1-17
 - substance abusing, homogeneous versus heterogeneous age group treatment of, 199-207
- Age group treatment, homogeneous versus heterogeneous, of adolescent substance abusers, 199-207
- Ahrens, A. H., 475-489
- Alcohol
- blackouts related to in medical practice, 369-376
 - effect of gender and ethnicity on use patterns of in narcotics addicts, 219-238
- Alcohol rehabilitation program, evening, attrition from, 239-248
- Alcoholics
- adult inpatient, clinician assessment of psychiatric comorbidity and alcoholism severity in, 377-386
 - role of employment for wives of, 119-131
- Alcoholics anonymous (AA), rational recovery as alternative to, 499-510
- Alcoholism
- clinician assessment of psychiatric comorbidity and severity of in adult alcoholic inpatients, 377-386
 - hospital utilization by American Indians/Alaska natives for, 387-396
 - morbidity risk for in relatives of cocaine addicts, 347-357
 - research program for, substance abuse among subjects screened from, 359-368
- Almog, Y. J., 219-238
- Alvear, M., 153-158
- American Indians/Alaskan natives
- hospital utilization by for alcoholism and alcohol abuse, 387-396
 - See also* Ethnicity
- Andersen, M. D., 309-325
- Anglin, M. D., 89-106, 219-238
- Arria, A. M., 511-521
- Ashery, R. S., 35-50
- Attitudes, of drinkers toward drinking, regional differences in, 523-538
- Attributional style, in children of substance abusers, 475-489

B

- Berkelman, R. L., 399-408
Blackouts, alcohol related, in medical practice, 369-376
Books received, 141-142, 249-250, 397-398, 539
Borderline personality disorder
 substance abuse in, 491-497
 See also Comorbidity
Branchey, M. H., 347-357
Braustein, M. S., 309-325
Brecht, M.-L., 89-106
Breen, K. J., 327-335
Brizer, D. A., 337-345
Buehler, J. W., 399-408
Bukstein, O., 511-521
Buprenorphine, effects of on responses to intranasal cocaine, 451-464
Buydens-Branchey, L., 347-357

C

- Campbell, B. K., 209-217
Campbell, W. G., 369-376
Carisoprodol, use of secondary to meprobamate dependence (case report), 133-134
Casey, J. C., 119-131
Catalano, R. F., 1-17
Children, of substance abusers, attributional style in, 475-489
Chin, J., 299-307
Chu, S. Y., 399-408
Cigarette smoking, dose levels of methadone related to, 209-217
Cocaine
 developmental risk factors in postpartum women with urine tests positive for, 187-197
 effect of comorbid diagnoses and gender on social competence of abusers of, 283-298
 in hair of mother-infant pairs, corre-

- lated with urine measures and self-report, 159-175
intranasal, effects of buprenorphine on responses to, 451-464
long abstinent abusers of, serum creatine kinase levels in, 327-335
morbidity risk for alcoholism and drug abuse in relatives of persons addicted to, 347-357
Comorbidity
 and alcoholism severity, in adult alcoholic inpatients, clinician assessment of, 377-386
 diagnosis of, effect of on social competence of cocaine abusers, 283-298
 drug abuse, prevalence of in emergency rooms, 443-450
 integrated treatment of, 79-88
 in pregnant patients in psychiatric inpatient setting, 177-185
Condelli, W. S., 65-78, 465-474
Consumption, of alcohol, regional differences in, 523-538
Creatine kinase, serum, in long abstinent cocaine abusers, 327-335
Criminal activity, effect of time in drug abuse treatment and employment on, 19-33
Criminal history, effect of on intravenous drug use patterns among methadone maintenance, 107-118
Criteria for substance abuse and dependence, ICD-10 compared with DSM-III-R, 143-151

D

- Dawes, M. A., 377-386
DeJong, J., 359-368
De Leon, G., 107-118
Dependence potential, of nonmedical use of psychoactive substances, 263-281

- Developmental risk factors, in postpartum women with urine tests positive for cocaine, 187-197
- Dextropropoxyphene (DPX) addiction, 153-158
- Diagnostic and Statistical Manual of Mental Disorders-III-R (DSM-III-R), compared with ICD-10 criteria for substance abuse and dependence, 143-151
- DiRito, D. C., 79-88
- Dose levels, of methadone related to cigarette smoking, 209-217
- DPX. *See* Dextropropoxyphene (DPX) addiction
- DSM-III-R. *See* Diagnostic and Statistical Manual of Mental Disorders-III-R (DSM-III-R)
- Dual diagnosis. *See* Comorbidity
- Dulit, R., 491-497
- Duntelman, G. H., 65-78, 465-474
- Duration, of drug abuse treatment, effect of on posttreatment drug use and criminal activity, 19-33

E

- Edwards, H., 499-510
- Egelko, S., 187-197, 499-510
- El-Bassel, N., 409-422
- Emergency rooms, prevalence of drug abuse comorbidity in, 443-450
- Employment
effect of on posttreatment drug use and criminal activity, 19-33
role of for wives of alcoholics, 119-131
- Erickson, P. M., 387-396
- Ethnicity
effect of on alcohol and heroin use patterns of narcotics addicts, 219-238
See also American Indians/Alaskan natives

F

- Fairbank, J. A., 465-474
- Fisher, D. G., 219-238
- Frank, S., 377-386
- French, J. F., 299-307
- French, M. T., 19-33
- Fritz, P., 187-197
- Fyer, M., 491-497

G

- Gable, R. S., 263-281
- Galanter, M., 187-197, 499-510
- Garnett, D., 359-368
- Gender
effect of on alcohol and heroin use patterns of narcotics addicts, 219-238
effect of on social competence of cocaine abusers, 283-298
- Gilbert, L., 409-422
- Glick, M., 283-298
- Goehl, L., 251-262
- Googins, B. K., 119-131
- Green, T. A., 399-408
- Gribomont, B., 347-357
- Griffin, M. L., 119-131

H

- Haaga, J., 423-441
- Haberman, P. W., 299-307
- Hair, of mother-infant pairs, correlation of cocaine in with urine measures and self-reports, 159-175
- Handelsman, L., 347-357
- Harrison, E. R., 423-441
- Hawkins, J. D., 1-17
- Heroin
effect of gender and ethnicity on use patterns of in narcotics addicts, 219-238

Heroin [continued]

effect of patterns of exposure to
methadone programs to use of,
65-78

substitution of other drugs for
among methadone patients,
465-474

High-risk AIDS behaviors, in urban
drug users, LIGHT model in
intervention of, 309-325

Hilton, I., 251-262

Hisnanick, J. J., 387-396

HIV. *See* Human immunodeficiency
virus (HIV)

Hodgins, D. C., 369-376

Hoffman, G. W., Jr., 79-88

Holloway, K., 347-357

Hospital utilization, for alcoholism and
alcohol abuse by American Indi-
ans/Alaska natives, 387-396

Hubbard, R. L., 19-33

Human immunodeficiency virus (HIV)
and intravenous drug use, 299-307
See also Acquired immunodeficiency
syndrome (AIDS)

I

ICD-10. *See* International Classification
of Diseases-10 (ICD-10)

Implementation problems, in random-
ized trials of outpatient psycho-
social treatment for drug abus-
ers, 35-50

Infants. *See* Mother-infant pairs

Inpatients

adult alcoholic, clinician assessment
of psychiatric comorbidity and
alcoholism severity in, 377-386
psychiatric, religiosity and drug abuse
among, 337-345

Inpatient setting, psychiatric, comorbid-
ity in pregnant patients in, 177-
185

Integrated treatment, of dual diagnosis
patients, 79-88

Intentions to use drugs, effect of on
posttreatment drug use of ado-
lescents, 1-17

International Classification of Diseases-
10 (ICD-10), compared with
DSM-III-R criteria for substance
abuse and dependence, 143-151

Intravenous drug use

AIDS associated with in U. S., 399-
408

among methadone outpatients, corre-
lates of, 107-118

and HIV infection, 299-307

J

Jenson, J. M., 1-17

Johnson, J. L., 475-489

K

Kang, S.-Y., 107-118

Klein, H., 523-538

Kosten, T. R., 451-464

L

Lamparski, D., 359-368

Legal coercion, compared to voluntary
admissions to methadone main-
tenance, 89-106

Lifshutz, H., 187-197

LIGHT model, in intervention of high-
risk AIDS behaviors in urban
drug abusers, 309-325

Linnoila, M., 359-368

Littrell, R. A. (case report), 133-134

Luthar, S. S., 283-298

M

- McAuliffe, W. E., 35-50
 McDougale, C. J., 451-464
 McGill, E. C., 79-88
 Marshall, M. J., 199-207
 Marshall, S., 199-207
 Martin, C. S., 511-521
 Medical practice, alcohol-related black-outs in, 369-376
 Meprobamate, dependence on secondary to carisoprodol use (case report), 133-134
 Methadone
 correlates of intravenous drug use among outpatients on, 107-118
 dose levels of related to cigarette smoking, 209-217
 predictors of changes in sexual behavior among women on, 409-422
 role of social networks in outcome of treatment with, 251-262
 substitution of other drugs for heroin among patients on, 465-474
 Methadone maintenance (letter), 135-137
 Methadone maintenance clients, legally coerced versus voluntary, treatment effectiveness for, 89-106
 Methadone programs, patterns of exposure to, effect of on heroin use, 65-78
 Mezzich, A. C., 511-521
 Miller, F. T., 491-497
 Miller, W. (case report), 133-134
 Miller, W. H., Jr., 177-185
 Moore, V., 359-368
 Morbidity risk, for alcoholism and drug abuse in relatives of cocaine addicts, 347-357
 Mother-infant pairs
 cocaine in hair of correlated with urine measures and self-report, 159-175

See also Postpartum women; Pregnant patients

N

- National Household survey of Drug Abuse (NHSDA), comparative study of, 423-441
 National Longitudinal Survey Youth Cohort (NLS-Y), comparative study, 423-441
 Ng, B., 153-158
 NHSDA. *See* National Household survey of Drug Abuse (NHSDA)
 NLS-Y. *See* National Longitudinal Survey Youth Cohort (NLS-Y)
 Nunes, E., 251-262
 Nwanyanwu, O. C., 399-408

P

- Patterns of use, for alcohol and heroin among narcotics addicts, effect of gender and ethnicity on, 219-238
 Pearsall, H. R., 451-464
 Perez-Bouchard, L., 475-489
 Pittman, D. J., 523-538
 Plotnick, R. D., 1-17
 Polydrug use, patterns of in adolescent alcohol abusers, 511-521
 Postpartum women
 with urine tests positive for cocaine, developmental risk factors in, 187-197
 See also Mother-infant pairs; Pregnant patients
 Posttreatment drug use
 of adolescents, effect of skills and intentions to use drugs on, 1-17
 effect of time in drug abuse treatment and employment on, 19-33

- Pregnant patients
 in psychiatric inpatient setting, comorbidity in, 177-185
See also Mother-infant pairs; Postpartum women
- Price, L. H., 451-464
- Psychiatric inpatients, religiosity and drug abuse among, 337-345
- Psychoactive substances, nonmedical use of, dependence potential and acute toxicity of, 263-281
- Psychological factors, effect of on intravenous drug use patterns among methadone maintenance, 107-118
- Psychosocial treatments, outpatient, for drug abusers, implementation problems in randomized trials of, 35-50
- Psychotherapeutic approach, to substance abuse treatment, 51-64

Q

- Quitkin, F., 251-262

R

- Rachal, J. V., 19-33
- Randomized trials, of outpatient psychosocial treatments for drug abusers, implementation problems in, 35-50
- Rapaport, M. H., 143-151
- Rational recovery, as alternative to AA, 499-510
- Regional differences, in alcohol consumption and drinker's attitudes toward drinking, 523-538
- Rehabilitation program, alcohol, evening, attrition from, 239-248
- Relatives, of cocaine addicts, morbidity risk for alcoholism and drug

- abuse in, 347-357
- Religiosity, and drug abuse among psychiatric inpatients, 337-345
- Resnick, M. P., 177-185
- Richards, T., 423-441
- Risk factors, developmental, in postpartum women with urine tests positive for cocaine, 187-197
- Rosen, M. I., 451-464
- Rost, K., 377-386
- Rounsaville, B. J., 283-298
- Roy, A., 359-368

S

- Sachs, C., 239-248
- Sage, T. (case report), 133-134
- Samuel, S. E., 443-450
- Sanguineti, V. R., 443-450
- Schilling, R. F., 239-248, 409-422
- Schmitz, J., 359-368
- Self-reports
 cocaine in hair of mother-infant pairs correlated with, 159-175
 of drug use, comparisons of, 423-441
See also National Household survey of Drug Abuse (NHSDA); National Longitudinal Survey Youth Cohort (NLS-Y)
- Sexual behavior, among women on methadone, predictors of changes in, 409-422
- Shuckit, M. A., 143-151
- Silverman, J., 347-357
- Skills, effect of on posttreatment drug use of adolescents, 1-17
- Smereck, G. A. D., 309-325
- Social competence, among cocaine abusers, effect of comorbid diagnoses and gender on, 283-298
- Social networks, role of in methadone treatment outcome, 251-262
- Sociodemographics, effect of on intra-

- venous drug use patterns among methadone outpatients, 107-118
- Stark M. J., 209-217
- Suicide, in men with AIDS-related illnesses (letter), 139-140
- Swartz, C. M., 327-335

T

- Tipp, J. E., 143-151
- Toxicity, acute of nonmedically used psychoactive substances, 263-281
- Treatments
 - drug abuse, effect of time on post-treatment drug use and criminal activity, 19-33
 - effectiveness of for legally coerced versus voluntary methadone maintenance clients, 89-106
 - substance abuse, psychotherapeutic approach to, 51-64
- See also Inpatients; Methadone entries; Posttreatment drug use; Psychosocial treatments

U

- Urine
 - cocaine in hair of mother-infant pairs correlated with measures in, 159-175

- testing positive for cocaine, developmental risk factors for postpartum women with, 187-197

V

- Voluntary admissions, compared to legal coercion to methadone maintenance, 89-106

W

- Wang, J.-C., 89-106
- Waxman, R., 359-368
- Wells, E. A., 1-17
- Wives, of alcoholics, role of employment for, 119-131
- Women
 - on methadone, predictors of changes in sexual behavior among, 409-422
 - postpartum, with urine tests positive for cocaine, developmental risk factors in, 187-197
- Woods, S. W., 451-464
- Work. See Employment

Z

- Zarkin, G. A., 19-33
- Zigler, E., 283-298